

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	90938	((IC memory) adj card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:44
S2	48696	S1 and ((stor\$3 near3 (data information)) (storage adj device))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:45
S3	270	S2 and ((access\$3 near3 manag\$3) near5 stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:52
S4	139	S3 and (clients )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:53
S5	2552	S2 and (((access\$3 read\$3 writ\$3 stor\$3) near3 manag\$3) near5 stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:52
S6	976	S5 and (clients )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:53
S7	1604	S5 and (clients host hosts)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:53
S8	1003	S7 and ((sector block portion partition) with (access\$3 read\$3 writ\$3 stor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:31

S9	672	S8 and (file near5 (access\$5 read\$4 writ\$5 stor\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:55
S10	289	S9 and (USB (universal adj serial adj bus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:57
S11	289	S9 and (USB (universal adj serial adj bus) USBMS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 13:57
S12	13	S11 and (CIFS (common adj internet adj file adj system) (internet near2 file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:05
S13	39	S11 and (((access\$3 read\$3 writ\$3 stor\$3 contention) near3 (rule\$1 regulation\$1)) ((contention access) near3 (matrix map table)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:10
S14	39	S13 and ((USB (universal adj serial adj bus)) (communication communicat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:15
S15	39	S14 and ((plural\$3 several multipl\$5 many)((USB (universal adj serial adj bus)) (communication communicat\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:16
S16	8	S15 and ((client\$1 host\$3) with (access\$5 read\$4 writ\$5 stor\$5) near3 (right permission permissible access))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:20

S17	8	S16 and (logic hardware software)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:22
S18	8	S17 and ((sector block portion partition) near5 (access\$3 read\$3 writ\$3 stor\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 16:50
S19	1	S18 and (sector near3 access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:42
S20	4	S18 and ((file) near3 access\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 14:43
S21	136	S1 and (((simultaneous\$2 concurrent\$3 parallel) near3 (access\$3 read\$3 writ\$3 stor\$3)) with sector)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 16:53
S22	15	S21 and (((simultaneous\$2 concurrent\$3 parallel) near3 (access\$3 read\$3 writ\$3 stor\$3)) with file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/30 16:54